

RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10/563,399
Source: IFWP
Date Processed by STIC: 1-18-06

ENTERED



IFWP

RAW SEQUENCE LISTING

DATE: 01/18/2006

PATENT APPLICATION: US/10/563,399

TIME: 15:20:46

Input Set : A:\21841wo.ST25.txt

Output Set: N:\CRF4\01182006\J563399.raw

```

3 <110> APPLICANT: DSM IP Assets B.V.
5 <120> TITLE OF INVENTION: Improved production of coenzyme Q-10
7 <130> FILE REFERENCE: Case 21841
C--> 9 <140> CURRENT APPLICATION NUMBER: US/10/563,399
C--> 9 <141> CURRENT FILING DATE: 2006-01-05
9 <150> PRIOR APPLICATION NUMBER: EP 03015367.0
10 <151> PRIOR FILING DATE: 2003-07-08
12 <160> NUMBER OF SEQ ID NOS: 2
14 <170> SOFTWARE: PatentIn version 3.2
16 <210> SEQ ID NO: 1
17 <211> LENGTH: 20
18 <212> TYPE: DNA
19 <213> ORGANISM: Artificial
21 <220> FEATURE:
22 <223> OTHER INFORMATION: PCR primer hcs-5336
24 <400> SEQUENCE: 1
25 gcgctggtcg aggcgtggaa                                20
28 <210> SEQ ID NO: 2
29 <211> LENGTH: 20
30 <212> TYPE: DNA
31 <213> ORGANISM: Artificial
33 <220> FEATURE:
34 <223> OTHER INFORMATION: PCR primer mvd-9000
36 <400> SEQUENCE: 2
37 cgtcagcgtg gcgggcaagt                                20

```

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/563,399

DATE: 01/18/2006
TIME: 15:20:47

Input Set : A:\21841wo.ST25.txt
Output Set: N:\CRF4\01182006\J563399.raw

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:1,2

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/563,399

DATE: 01/18/2006

TIME: 15:20:47

Input Set : A:\21841wo.ST25.txt

Output Set: N:\CRF4\01182006\J563399.raw

L:9 M:270 C: Current Application Number differs, Replaced Current Application No

L:9 M:271 C: Current Filing Date differs, Replaced Current Filing Date